





EMF FLOWTECH FT-01

www.emfflowtech.co.za

TABLE OF CONTENTS

About Our FT-O1 ----- 3

Technical Specifications ----- 4

Technical Drawing ----- 5

Images Of FT-O1 ----- 6

Contact Us ----- 7

ABOUT OUR FT-01

The FT-01 is a versatile magnetic vibratory feeder designed for efficient material handling in relatively small to medium-sized operations. All our feeders are supplied with a range of controller options for the local South African market to operate at 220 Volt 50 Hz power supply.



The advantages of using electromagnetic feeders include their ability to precisely control the feed rate, combined with low maintenance requirements and high durability, making the FT-01 an excellent choice for various industries, including food, minerals, and chemical sectors.

TECHNICAL SPECIFICATIONS

FT-01



Voltage (V)	220 Volt
Power (W)	30 Watt
Frequency (Hz)	50 Hertz
Vibration per minute (V/min)	3000 V/min
Stroke in mm	1,52 Milimeter
Current (A)	0,4 - 0,8 Ampere
Typical delivery capacity (tons/hour)	0,1 - 5 Tons per hour
Drive Weight (kg)	13 Kilogram
Max tray weight (kg)	5 Kilogram
Typical tray sizes	Width x Length
Long tray	100mm x 500mm
Medium tray	200mm x 600mm
Wide tray	400mm x 500mm

TECHNICAL DRAWING



IMAGES OF FT-01





THANK YOU

Please feel free to contact us for any further questions regarding our products. We are happy to assist with any inquiry!



Address

Unit 7, Klein Oostersee Centre,
53 Friesland St, Oostersee, Cape Town, 7500,
South Africa



Telephone

+ 27 (0)21 591 8019



Website

www.emfflowtech.co.za

